


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

High Availability servers + increase period or interval

Search

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

Web Results 21 - 30 of about 63,900 for High Availability servers + increase period or interval. (0.27 second)

[PPT] [Architecting for a Hudson Environment](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... DS - **Increase** Worker Threads for more than 250 **servers**. ... the **server** offsite to make the License **Server high availability**. ... If using a mix of **servers** for migration ...
www.brianmadden.com/.../Architecting%20for%20a%20Hudson%20Environment%20MPS%203.0%20-%20Ron%20Oglesby.ppt - [Similar pages](#)

[Simplify With COM+ Load Balancing](#)

... your application transaction rate can dramatically **increase** overnight. ... be part of a Microsoft Cluster **Server** (MSCS) or another **high-availability** cluster to ...
www.ftponline.com/archives/premier/mgznaarch/vbpi/1999/ent99/baen99/baen99.asp - 29k -
 Cached - [Similar pages](#)

[PDF] [High Availability, Baselineing, Performance Monitoring, and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... it up or out to **increase** performance ... Chapter 8: **High Availability**, Baselineing, Performance Monitoring, and ... Planning 329 OsbNetw / Windows **Server** 2003 Clustering ...
searchwin2000.techtarget.com/searchWin2000/downloads/Win_Serv_03_Clustering_c08_Osborne.pdf -
[Similar pages](#)

[PDF] [Specifying data availability in multi-device file systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... aspects of such distributed storage **server** designs. ... by almost all proponents of **high availability** systems: We ... Here is a sample **availability** specification for a ...
www.hpl.hp.com/personal/John_Wilkes/papers/HPL-CSP-90-6.pdf - [Similar pages](#)

[Autonomous Replication for High Availability in Unstructured P2P ...](#)

... to the importance of even a few **server**-like peers ... excess capacity as well as **high availability** in communities ... to: (i) achieve the target **availability** with less ...
www.panic-lab.rutgers.edu/Research/planetp/Publications/PlanetP-replication-SRDS/ - 78k -
 Cached - [Similar pages](#)

[PDF] [Autonomous Replication for High Availability in Unstructured P2P ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... communities are fundamentally different than current **servers**. ... a member decides to **increase** the **availability** ... where fragments with **high availability** have higher ...
www.panic-lab.rutgers.edu/Research/planetp/Publications/DCS-TR-509-Replication.pdf -
[Similar pages](#)

[[More results from www.panic-lab.rutgers.edu](#)]

[High Availability Web Services -SNA/IP Solution - Cisco Systems](#)

... **High** performance accessæ ... affinity already exists, the client is pointed to the **server** to which ... DFP from the Workload Agent to learn the **availability** and weight ...
www.cisco.com/en/US/netsol/ns340/ns394/ns74/ns144/networking_solutions_white_paper09186a00800b423a.shtml - 101k - [Cached](#) - [Similar pages](#)
 [[More results from www.cisco.com](#)]

[Tuning WebLogic Server](#)

... to a cluster dynamically to **increase** capacity ... A WebLogic **Server** cluster guarantees **high-availability** by using the redundancy of multiple **servers** to insulate ...

edocs.bea.com/wls/docs81/perform/WLSTuning.html - 75k - [Cached](#) - [Similar pages](#)
[[More results from edocs.bea.com](#)]

Protocols and Analysis for High-Frequency And Composite-Frequency ...

... no such **available server** but the **server** is actually ... to provide the information whenever it becomes **available**. ... class that consists of the **high** frequency and low ...


www.securityoffice.net/mssecrets/ aladdin/aladdin_lookup.html - 101k - [Cached](#) - [Similar pages](#)

[PDF] [03-177 ESK_book_r07_FIN](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... HP **servers** running Microsoft Windows* **Server** 2003 Datacenter ... with higher levels of **availability** and reliability ... dynamically add flights to **high-demand** cities ...

www.intel.com/business/ bss/products/server/enterprise.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

High Availability servers + increase p

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 71 - 80 of about 44,900 for High Availability servers + heartbeat. (0.24 seconds)

ShaoLin Microsystems -- Products : ShaoLin HA Cluster

... and reliable kernel level **heartbeat** technology, ShaoLin HA Cluster makes **high availability** clustering easy ... on ShaoLin HA Cluster **server** are allowed to ...

www.shaolinmicro.com/product/ hacluster/feature_benefit.php - 33k - [Cached](#) - [Similar pages](#)

Sponsored Links

High Availability Papers

Free White Papers & Reports on **High Availability** Computing - Learn More
www.bitpipe.com

[See your message here...](#)

Rainfinity : Products : Data Sheets : RainWall for ISA

Server

... ISA **Server** and clusters multiple ISA **Servers** to act ... RainWall provides **high availability** and load balancing benefits to ... interface, so that a **heartbeat** cable is ...

www.rainfinity.com/products/ds_rainwall_isa.html - 23k - Jul 9, 2004 - [Cached](#) - [Similar pages](#)

Configurazione di un cluster con Linux **High Availability** - [Translate this page]

... di un cluster con Linux **High Availability**, / 4- ADVANCED. ... Linux con un meccanismo di **High Availability** ... due cessa di 'battere', **Heartbeat** sul **server** rimanente esegue ...

www.openskills.info/view/boxdetail.php?IDbox=966 - 23k - [Cached](#) - [Similar pages](#)

[PDF] Ensuring Linux **Availability**

File Format: PDF/Adobe Acrobat

... All **high availability** software products can detect problems with cluster **server** functionality. This is done by sending **heartbeat** signals between **servers** within ...

www.steeleye.com/pdf/literature/WPA-Ensuring_Application_Availability_Final_06-23-03.pdf - [Similar pages](#)

Creating Linux Web Farms (Linux **High Availability** and Scalability)

... I would like to acknowledge the support of the the people involved in Linux **High Availability** and The Linux Virtual **Server** Project, in particular Alan Robertson ...

www.vergenet.net/linux/has/html/ - 10k - [Cached](#) - [Similar pages](#)

[[More results from www.vergenet.net](#)]

[PDF] NeGeCo Implements HA Cluster Solution with SuSE Linux Enterprise ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The **servers** use a serial **heartbeat** channel to ... that SuSE Linux Enterprise **Server** meets these ... an economical- ly meaningful solution." **High Availability** at a ...

www.suse.com/en/company/ customer_references/pdf/poeschl.pdf - [Similar pages](#)

[PDF] **Layout 1**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... of this with a redundant NFS **server** and a ... ensuring fire- wall security and **availability** and taking ... Sysadmin's Daily Grind: DRBD **High-Availability** Linux In ...

www.linux-magazine.com/issue/33/Charly_Column.pdf - [Similar pages](#)

[[More results from www.linux-magazine.com](#)]

[PDF] **High Availability** Keeps 40,000 Government Users Secure

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... antivirus gateways and content scanning **servers**. ... reliability and performance **High availability** through redun ... utilization of **available** computing resources Online ...

www.stonesoft.com/files/products/ StoneBeat/SB_WA_DoIT_Case_Study.pdf - [Similar pages](#)

[PDF] [Joshua W Smith](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Cluster - a kind of **high**-performance massively ... to LVS • Mon - monitor real **servers** •

Heartbeat - ensures director **availability** • Fake - backup ...

www.usd.edu/~jossmith/colloquium.pdf - [Similar pages](#)

Re: High Availability..

... Abrahamsson <roger@obbit.se>; Subject: Re: **High Availability..** ... net) which incorporates LVS and **heartbeat**. ... a large promotional site, **servers** where maintained ...

lists.debian.org/debian-isp/2000/10/msg00047.html - 5k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about 126,000 for **High Availability servers + workload**. (1.01 seconds)

Remote Server Monitoring

www.AlertSite.com Measure Performance & **Availability!** Get SMS, Pager, Email & Cell Alerts

 Sponsored
 Link

High Availability Overview: Business Continuance through High ...

... **server** assumes the failed **server's workload** and continues ... In addition, the **servers** and storage devices are ... Figure 6. A **high-availability** clustering model with ...
www.brocade.com/products/high-availability-overview.jsp - 33k - Jul 9, 2004 - [Cached](#) - [Similar pages](#)

Sponsored Links

iSCSI Storage

Cost effective IP SAN solutions to manage storage on Ethernet networks
www.sanrad.com

[See your message here...](#)

Licensing Distributed DB2 Version 8 Servers in a High Availability ...

... Licensing in a **high-availability** environment depends on your answer to ... to take the work of two **servers** in the ... The data **availability** needs of your business will ...
www-106.ibm.com/developerworks/db2/library/techarticle/0301zikopoulos/0301zikopoulos.html - 37k - [Cached](#) - [Similar pages](#)

Server suits multi-server, high-availability environments. - IBM ...

... Model 810 production **server**, with iSeries™ for **High Availability**, can be actively deployed for **workload** distribution and regular role swapping. ...
www.industrialnewsroom.com/fullstory/30940 - 40k - [Cached](#) - [Similar pages](#)

High Availability and Load Balancing for ISA Server

... automatic fail-over, and dynamically balances the ISA **Server workload** in the ... Internet access, offers a total solution that extends **high availability** to your ...
www.serverfiles.com/Microsoft-server-add-on-software/ISA-server-software/High-Avail.-&-Load-Bal./ - 22k - Jul 9, 2004 - [Cached](#) - [Similar pages](#)

Dell High Availability Clustering

... a **server** by re-allocating its **workload** among the other **servers** in the ... may also be used to re-balance **workload** within a ... Microsoft © **High Availability** Clusters. ...
www1.us.dell.com/content/topics/global.aspx/solutions/en/clustering_ha?c=us&l=en&s=gen&~tab=2 - 34k - [Cached](#) - [Similar pages](#)

High Availability Server Clustering Solutions

... By using **high availability server** clustering in storage environments ... If one **server** goes down, the second takes over while still maintaining its own **workload**. ...
www.intel.com/update/contents/sv09023.htm - 53k - [Cached](#) - [Similar pages](#)

[PDF] Clustering: A high Availability Solution

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... if it were a single **high-performance** and ... Thus clustering ensures **availability** by automatically restoring ... services following the failure of individual **servers**. ...
www.wipro.co.in/whitepaper/cluster-highavailability.pdf - [Similar pages](#)

Microsoft PressPass - Microsoft Demonstrates Advances in High ...

... III Xeon **server**, Sequent's **workload** management tool ... to cluster and manage up to eight **servers**. ... Microsoft announced new **high-availability** resources including ...
www.microsoft.com/presspass/press/1999/May99/EntTechPR.asp - 15k - [Cached](#) - [Similar pages](#)

e-Pro Magazine

... Clustering two or more **servers** to back up critical applications is a cost-effective **high-availability** option that ... to a cluster to share a growing **workload**. ...

[www.e-promag.com/eparchive/index.cfm?](http://www.e-promag.com/eparchive/index.cfm?fuseaction=viewarticle&ContentID=2627&websiteid=-57k)

[fuseaction=viewarticle&ContentID=2627&websiteid=-57k](#) - [Cached](#) - [Similar pages](#)

HP 9000 rp4440-8 server - overview & features

... and HP Event Monitoring Service **High Availability** Toolkits HP ... Processor for comprehensive remote **server** management of HP ... **Workload** management: HP-UX 11i v1 Kernel ...

www.hp.com/products1/servers/rackoptimized/rp4440/overview.html - 63k -

[Cached](#) - [Similar pages](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

High Availability servers + heartbeat

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

L Number	Hits	Search Text	DB	Time stamp
1	29330	high\$5 near2 availabl\$5	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:24
2	5469	(high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:26
3	840	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:34
4	25	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:28
5	88	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:33
6	53	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:34
7	30	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:41

8	18	(((((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:42
9	58	(((((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:51
10	32	(((((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:58
11	57377	709/\$.ccls. or 714/\$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:50
12	315	(709/\$.ccls. or 714/\$.ccls.) and (((((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:50
13	34	((709/\$.ccls. or 714/\$.ccls.) and (((((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:35

14	34	((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:10
15	77	((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (heartbeat\$5 or heart adj1 beat or alive or notification or signal)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:57
16	47	((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (heartbeat\$5 or heart adj1 beat or alive or notification or signal)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:11
17	28	((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (heartbeat\$5 or heart adj1 beat or alive or notification or signal)) and @ad<20000715) not ((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:58

18	243	((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)) (((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (heartbeat\$5 or heart adj1 beat or alive or notification or signal)) and (((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification))) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:11
19	75	((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (heartbeat\$5 or heart adj1 beat or alive or notification or signal)) and (((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)) (((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (heartbeat\$5 or heart adj1 beat or alive or notification or signal)) and (((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification))) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:11
20	46	((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (heartbeat\$5 or heart adj1 beat or alive or notification or signal)) and (((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification))) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:11

21	79	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5) same (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:35
22	9	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5) same (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3 or repeat\$4) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 19:35

L Number	Hits	Search Text	DB	Time stamp
1	29330	high\$5 near2 availabl\$5	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:24
2	5469	(high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:26
3	840	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:26
4	25	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:28
5	88	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:33
6	53	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:34
7	30	((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:41

8	18	(((((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:42
9	58	(((((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:51
10	32	(((((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)) and @ad<20000715	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:49
11	57377	709/\$.ccls. or 714/\$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:50
12	315	(709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:50
13	34	((709/\$.ccls. or 714/\$.ccls.) and (((high\$5 near2 availabl\$5) same (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5)) and (load\$5 or workload\$5) near5 (server or application or cluster\$5 or distribut\$5 or fault or fail\$5 or toleran\$5))) and (adjust\$5 or modif\$6 or increas\$3 or decreas\$4 or shorten\$3 or low\$3 or updat\$5 or chang\$3) near5 (heartbeat\$5 or heart adj1 beat or alive or notification) near5 (period or time or signal or interval or limit\$5 or timestamp or frequen\$5 or duration or notification)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/10 18:51